



# SERPAC 191iAC

ELECTRONIC ENCLOSURES



PART NO.	DESCRIPTION (Included)	ACCESSORIES (Optional)	
PART NO.		PART NO.	DESCRIPTION
9-1i	Top		
19AC	Access Compartment Bottom	50	Non-Skid Feet
6005	#4X3/8" Self-Tapping Screw (8)	60	Standoff Hole
1026	Access Door	61	Standoff Post
		SK9	Waterproof Seal Kit

Notes: Enclosure weight .63 lb / 289 g

- 1) Enclosure meets or exceeds IP40 and NEMA 1
- 2) Circuit Board drawings see sheet 3.
- 3) All components are RoHS Compliant.
- 4) Material: Top and Bottom ABS.
- 5) Customizable Molding Areas. 
- 6) When used with SK9 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.04 lb / 19g) 

# SERPAC 191iAC


ELECTRONIC ENCLOSURES


Notes: Enclosure weight .63 lb / 289 g

1) Enclosure meets or exceeds IP40 and NEMA 1  
2) Circuit Board drawings see sheet 3.

3) All components are RoHS Compliant.

4) Material: Top and Bottom ABS.

5) Customizable molding areas. 

6) PCB Bosses accept #4 self tapping screw. 

7) When used with SK9 the enclosure meets or exceeds  
IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.04 lb / 19g)

# SERPAC 191iAC CIRCUIT BOARD

ELECTRONIC ENCLOSURES

## Top Option

## Bottom Option A

## Bottom Option B

